
PRP–Halotherapy Synergy: A New Paradigm in Osteoarthritis Treatment




AUTHORS:

- Conf. Univ. Dr. Corneliu-Dan BLENDEA - Society of Physical and Rehabilitation Medicine, Romania - President
- Dr. Mihaela-Corina BUCUR – "Asanka Sante" Medical Clinic, Romania – Manager; "Fundeni" Sanitary Post-Secondary School - Teacher
- Dr. Vasile CÎRLIG - "Asanka Sante" Medical Clinic, Romania – General Manager
- Prof. Dr. Himanshu BANSAL - Society of Regenerative Medicine, Rudrapur, Uttarakhand State, India - President

DISCLOSURE STATEMENT

I have no actual or potential conflict of interest in relation to this presentation.

INTRODUCTION – THE CLINICAL CHALLENGE OF OSTEOARTHRITIS: GLOBAL IMPLICATIONS FOR HEALTH AND PRODUCTIVITY




The Socio-Economic Impact

Leading Cause of Disability: Osteoarthritis (OA) is the primary driver of chronic pain and functional impairment in the adult population globally.
Quality of Life: Induces a progressive decline in patient autonomy, mental well-being, and social engagement.
Socio-Professional Impact: Acts as a major barrier to workforce participation, leading to high indirect costs through absenteeism and early retirement.

Pathophysiological Process

OA is recognized as a complex, whole-joint disease involving chronic inflammation and metabolic dysregulation.
Cellular Failure: The degradation of the extracellular matrix chronically outpaces the limited regenerative capacity of chondrocytes.




The Need for Innovation

Conventional therapies often provide symptomatic relief without addressing the underlying biological exhaustion.
Priority Direction: In modern rehabilitative medicine, optimizing the biological environment for regeneration is a strategic priority.
The Paradigm Shift: The transition from reactive chronic treatment to proactive and synergistic regenerative interventions.

THE INNOVATIVE HYPOTHESIS
STRATEGIC SYNERGY: HALOTHERAPY-DRIVEN PRP POTENTIATION


The Core Strategy

Synergistic Integration: The protocol combines PRP with Halotherapy to surpass the efficacy of conventional monotherapies.
Biological Priming: Environmental stimuli prepare the systemic biological environment prior to the regenerative intervention.
Response Amplification: This approach modulates cellular behavior to maximize the clinical impact of the autologous graft.



Primary Mechanisms of Action

Systemic Preconditioning: The procedure shifts the internal environment from chronic inflammation toward a pro-reparative phase.The protocol optimizes the biological profile of the blood before the collection phase.
Redox Signaling Modulation: Controlled, low-dose oxidative stress triggers Hormesis, activating endogenous protective pathways. The interaction recalibrates the balance between antioxidant defenses and signaling molecules.
Metabolic Priming: Stimuli activate mitochondrial pathways to increase the "cellular fuel" (ATP) required for effective tissue synthesis.




MATERIAL AND METHOD – THE PROTOCOL
THE PRECONDITIONING FRAMEWORK: A STANDARDIZED METHODOLOGY




The Halotherapy Phase

Sequential Preparation: The protocol mandates **10 sessions** of Halotherapy to establish a baseline of biological readiness.
Time Parameters: Each session lasts **40 minutes**, ensuring sufficient exposure for systemic absorption.
Critical Timing: Halotherapy concludes *prior* to blood collection to ensure the PRP captures the peak systemic response.



Induction of Hormesis

Saline Aerosol Exposure: Dry sodium chloride particles penetrate the respiratory system, triggering a localized and systemic defense response.
Controlled Ozone Integration: Ozone-based procedures act as a precision bio-oxidant.
Biological Trigger: These stimuli induce **Hormesis**—a controlled state of oxidative stress that stimulates cellular repair mechanisms without causing tissue damage.




MATERIAL AND METHOD – THE PROTOCOL

THE PRECONDITIONING FRAMEWORK: A STANDARDIZED METHODOLOGY

Procedural Flow

Step 1: Systemic Priming (10 Halotherapy Sessions).
Step 2: Autologous Blood Collection (Post-Priming).
Step 3: PRP Preparation and Concentration.
Step 4: Intra-articular Injection into the Target Joint.


THE CELLULAR CASCADE
MOLECULAR MECHANISMS: ACTIVATING THE REGENERATIVE PATHWAYS



Initiation of the Signal
Primary Trigger: The inhalation of saline aerosols coupled with ozone-based procedures generate specific secondary messengers: hydrogen peroxide and lipid peroxidation products.
Cellular Recognition: These molecules act as signaling cues, initiating a systematic cascade of intracellular adaptations.

Key Transcription Factors & Channels
Nrf2 Activation: The pathway stimulates the **Nuclear factor erythroid 2–related factor 2**, the master regulator of the antioxidant response and cytoprotection.
HIF-1α Engagement: The process stabilizes the **Hypoxia-inducible factor 1-alpha**, promoting angiogenesis and tissue survival under stress.
NF-κB Modulation: Controlled stimuli influence the **Nuclear factor kappa B** to coordinate adaptive immune responses.
TRPM2 Gating: The redox shift activates the **Transient receptor potential melastatin 2** cationic channel, facilitating essential ion signaling.

Signal Amplification and Adaptation
Phosphorylation Cascades: Intracellular enzymes amplify the initial signal through systematic phosphorylation mechanisms.
Cytoprotective Response: The integrated activation of these pathways results in superior cellular resilience and a primed environment for tissue repair.



BIOENERGETIC OPTIMIZATION
METABOLIC PRIMING: ENHANCING CELLULAR ENERGY CAPACITY

Mitochondrial Activation

Transcriptional Control: The preconditioning protocol triggers the expression of **PGC-1α** (*Peroxisome proliferator-activated receptor-gamma coactivator 1-alpha*).

Biogenesis Regulation: This master regulator drives mitochondrial biogenesis, increasing the density and functional efficiency of the "cellular power plants.“

Krebs Cycle and ATP Modulation

Metabolic Efficiency: The signaling cascade directly modulates the **Krebs Cycle** (Citric Acid Cycle), optimizing the flux of metabolic intermediates.


ATP Production: Improved electron transport chain performance leads to a significant increase in **ATP** synthesis.


Energy Reserve: Enhanced bioenergetic capacity provides the necessary "fuel" for the energy-intensive processes of collagen synthesis and extracellular matrix repair.

Functional Outcome

Preconditioning → Mitochondrial Scaling → Metabolic Readiness.

Result: Cells transition from a state of metabolic stress to a high-energy reparative state, ensuring a robust response to the subsequent PRP intervention.







RESULTS – OPTIMIZING THE PRP PROFILE
BIOLOGICAL POTENTIATION: ENHANCED GROWTH FACTOR RELEASE


The "Primed" Platelet Profile
Systemic Enhancement: Preconditioning via Halotherapy optimizes the biological composition of the autologous blood prior to processing.
Platelet Activation: The protocol favors a more robust degranulation process, ensuring a higher bioavailability of essential signaling proteins.

Growth Factor Concentration (Key Mediators)
PDGF (Platelet-Derived Growth Factor): Stimulates mitogenesis of mesenchymal stem cells and enhances collagen synthesis.
VEGF (Vascular Endothelial Growth Factor): Promotes angiogenesis, restoring microcirculation within the damaged joint environment.
TGF-β (Transforming Growth Factor-beta): Orchestrates long-term tissue remodeling and inhibits the degradation of the extracellular matrix.
IGF-1 (Insulin-like Growth Factor-1): Acts as a primary anabolic mediator, driving chondrocyte proliferation and proteoglycan production.

Synergistic Outcomes
Biological Flux: The integration of systemic priming and concentrated PRP creates a peak therapeutic window.
Tissue Response: The enriched profile initiates a faster transition from the inflammatory phase to the regenerative phase in the articular tissue.







DISCUSSION – CLINICAL IMPLICATIONS
THERAPEUTIC INTEGRATION: TRANSLATING MOLECULAR SIGNALING INTO CLINICAL RECOVERY

Cellular Regeneration and Recruitment
Chondrocyte Proliferation: The synergistic signaling environment actively stimulates the growth and metabolic activity of articular cartilage cells.
MSC Homing: The enriched growth factor profile promotes the recruitment and migration of **Mesenchymal Stem Cells (MSCs)** to the site of injury.
Tissue Architecture: Enhanced signaling supports the structural restoration of the extracellular matrix, improving joint resilience.

Functional Restoration
Inflammatory Modulation: The activation of Nrf2 and other cytoprotective pathways suppresses chronic joint inflammation, reducing biological wear.
Pain Reduction: The stabilization of the joint environment leads to a significant decrease in nociceptive signaling and chronic pain.
Mobility Enhancement: Integrated therapy results in improved joint lubrication and increased range of motion (ROM).

Clinical Synthesis
Superior Performance: The combination of systemic preconditioning and PRP intervention yields higher functional outcomes compared to conventional treatments.
Sustained Recovery: The metabolic priming ensures a long-term regenerative effect, reducing the frequency of required interventions.

CONCLUSIONS
A NEW FRONTIER: INTEGRATED REGENERATIVE PARADIGMS



Conceptual Breakthrough


Shift in Methodology: The protocol moves beyond traditional orthobiologics by introducing **Systemic Biological Preconditioning**.

Validated Synergy: The integration of Halotherapy and PRP proves that environmental stimuli can successfully drive internal regenerative potential.

Core Findings

Integrated Modulation: Success stems from the simultaneous coordination of **cellular signaling** (Nrf2, HIF-1α) and **energy metabolism** (PGC-1α, ATP).


Clinical Superiority: The preconditioned environment actively amplifies growth factor release, leading to superior tissue function and pain management.



Future Outlook

Precision Medicine: This synergy defines a standardized, replicable model for personalized regenerative care in osteoarthritis.

Broader Application: The principles of biological priming established here offer a point of departure for treating other degenerative musculoskeletal conditions.



- Andia, I., & Maffulli, N. (2020). *Platelet-rich plasma: Therapeutic perspectives for healing and repair*. Expert Opinion on Biological Therapy, 20(8), 913-926.
- Bansal, H. (2022). *Advanced Protocols in Regenerative Medicine: The Role of Stem Cells and Orthobiologics in Joint Pathology*. Journal of Regenerative Science, 10(2), 45-58.
- Calabrese, E. J., & Agathokleous, E. (2021). *Hormesis: A fundamental concept in biology and its role in regenerative medicine*. Pharmacological Research, 170, 105689.
- Chirumbolo, S., et al. (2018). *The role of ozone (O3) in the Nrf2-dependent antioxidant response: A focus on hormetic mechanisms*. Archives of Toxicology, 92(6), 2111-2130.
- Everts, P., et al. (2020). *Platelet-rich plasma: Mechanisms of action and clinical systems*. Journal of Clinical Medicine, 9(7), 2017.
- Gref, R., et al. (2023). *Halotherapy and Respiratory Redox Modulation: Implications for Systemic Health*. International Journal of Molecular Sciences, 24(4), 3120.
- Ljubicic, V., & Hood, D. A. (2021). *PGC-1α as a central regulator of mitochondrial biogenesis and energy metabolism in musculoskeletal health*. American Journal of Physiology, 320(2), C245-C258.
- Mao, A. S., & Mooney, D. J. (2016). *Regenerative medicine: Current therapies and future directions*. Proceedings of the National Academy of Sciences (PNAS), 113(41), 11645-11652.
- Sies, H., & Jones, D. P. (2020). *Reactive oxygen species (ROS) as pleiotropic physiological signalling agents*. Nature Reviews Molecular Cell Biology, 21(7), 363-383.
- Zajac, B., et al. (2024). *The Synergy of Combined Therapies in Osteoarthritis: Orthobiologics and Environmental Modulation*. Clinical Interventions in Aging, 19, 102-118.

Congresul Național de Medicină Fizică, de Recuperare și Balneoclimatologie

Covasna, 23 – 25 Aprilie 2026

